


 **SPINNAKER**
COATING

MULTI-PURPOSE DIE CUT LABELS

PRODUCT GUIDE



MULTI-PURPOSE DIE CUT LABELS

Templates available at www.spinps.com

INDEX

Label Products Digital Tips and Guidelines	Page
Tips and Guidelines	3
<hr/>	
Stocking Die-Cuts	
Rectangles/Squares 8½ x 11	4-5
Rectangle Badge 8½ x 11	5
Circles 8½ x 11	6
CD/DVD 8½ x 11	6
CD Laser Gloss 8½ x 11	6
Fluorescent Rectangles 8½ x 11	7
Fluorescent Circles 8½ x 11	7
Astrobrights® Rectangles 8½ x 11	8
Astrobrights® Circles 8½ x 11	8
Rectangles/Squares 12 x 18	9
CD/DVD Laser Gloss 12 x 18	9
<hr/>	
Die Layouts	
Rectangles/Square Label Diagrams 12 x 18	9
CD/DVD Laser Gloss Label Diagrams 12 x 18	9
Rectangles/Square Label Diagrams 8½ x 11	10-11
Circle Label Diagrams 8½ x 11	12
CD/DVD Label Diagrams 8½ x 11	12
CD Laser Gloss Label Diagrams 8½ x 11	12
<hr/>	
Custom Capabilities	
Custom Capabilities	13

MULTI-PURPOSE DIE CUT LABELS

Templates available at www.spinps.com

LABEL PRODUCTS DIGITAL TIPS AND GUIDELINES

Label Formatting

Follow printer software guidelines for formatting label data. See Spinnaker website at www.spinps.com for label templates. Labels are also compatible with Avery Label Pro and other popular software. For cross reference, select the layout code that corresponds with the Spinnaker label. If no label is found, use the Spinnaker measurements to create a new label.

Fanning

Select the desired number of label sheets and gently fan the edges to reduce static electricity. If curl is evident, manually bend and flatten the sheets before loading.

Loading and Printing

Consult the owner's manual to determine the proper placement of labels in the feed tray. It is acceptable to place the labels directly on top of the paper that may be in the tray. Do not exceed the recommended number of sheets. For best toner anchorage and processing, ensure printer settings reflect proper weight. Proceed to make copies as if printing paper. Reference GSM for printer settings.

Caring for unused labels

Place any unused sheets from the paper tray into the protective plastic bag and store in a cool, dry environment.


Cautions

Do not run label stock through the printer twice. Should a jam appear, locate the jammed sheet and remove it before restarting the printer. Products made with Advantedge Technology® adhesive are not recommended for guillotine applications.

Premium facestocks are designed for digital imaging to give customers vibrant colors and striking graphics. Layflat construction provides excellent runability.

Technical Consulting Phone: 877-210-5104

Rectangles/Squares

label size W x H			labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	AC	DN			Avery®	LabelBlank®	MacTac®					
8 ½ X 11	1	1	1	S4401	5165™	8520	SR6606	100 box	1000	20#	6.8	159
4¼ X 11	2	1	2	S4302	-	8495	-	100 box	1000	20#	6.8	159
8½ X 5½	1	2	2	S4402	-	8490	SR6647	100 box	1000	20#	6.8	159
4 X 5	2	2	4	S4304	-	9810	SR6646	100 box	1000	20#	6.8	159
3½ X 5	2	2	4	S4504	5168™	9840	-	100 box	1000	20#	6.8	159
3 X 5	2	2	4	S4704	5388™	9935	SR6759	100 box	1000	20#	6.8	159
4¼ x 5½	2	2	4	S4404	-	8485	SR6746	100 box	1000	20#	6.8	159
4 X 3⅓	2	3	6	S4306	5164™	9735	SR6645	100 box	1000	20#	6.8	159
7 X 1⅝	1	6	6	S4506	-	9530	-	100 box	1000	20#	6.8	159
4¼ X 3⅓	2	3	6	S4706	-	8450	-	100 box	1000	20#	6.8	159
4 X 2½	2	4	8	S4308	-	9710	SR6644	100 box	1000	20#	6.8	159
4¼ X 2¾	2	4	8	S4408	-	8350	SR6744	100 box	1000	20#	6.8	159
2¼ X 3½	3	3	9	S4309	-	9780	-	100 box	1000	20#	6.8	159
4 X 2	2	5	10	S4310	5163™	9600	SR6643	100 box	1000	20#	6.8	159
4¼ X 2	2	5	10	S4410	5352™	8250	SR6605	100 box	1000	20#	6.8	159
4 X 1½	2	6	12	S4312	5157™	9490	-	100 box	1000	20#	6.8	159
2 X 3	4	3	12	S4512	-	9585	-	100 box	1000	20#	6.8	159
2½ X 2½	3	4	12	S4712	-	9650	-	100 box	1000	20#	6.8	159
4 X 1⅓	2	7	14	S4314	5162™	9433	SR4214	100 box	1000	20#	6.8	159
4 X 1	2	10	20	S4320	5161™	9300	SR6641	100 box	1000	20#	6.8	159
2 X 2	4	5	20	S4520	-	9577	SR4315	100 box	1000	20#	6.8	159
2.83 X 1½	3	7	21	S4421	5360™	8100	SR6607	100 box	1000	20#	6.8	159
2⅝ X 1¼	3	8	24	S4324	-	-	-	100 box	1000	20#	6.8	159
3.4375 X ⅔	2	5	30	S4530	-	-	-	100 box	1000	20#	6.8	159
2⅝ X 1	3	10	30	S4330	5160™	9250	SR6600	100 box	1000	20#	6.8	159
2.83 X 1	3	11	33	S4433	5351™	8000	SR6602	100 box	1000	20#	6.8	159
1 X 2	7	5	35	S4335	-	9573	-	100 box	1000	20#	6.8	159
1¼ X 1⅝	6	6	36	S4336	-	9400	SR4236	100 box	1000	20#	6.8	159
1½ X 1	5	10	50	S4350	-	9200	-	100 box	1000	20#	6.8	159
1¾ X ½	4	20	80	S4380	5167™	9050	SR4280	100 box	1000	20#	6.8	159

Minimum order 1 box of 100 sheets

See Pages 10 & 11 to view label diagrams

Rectangles/Squares bulk packed


label size W x H	D O W N		labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	ACROSS AC	DN			Avery®	LabelBlank®	MacTac®					
4 X 3½	2	3	6	S5306	5164™	9735	SR6645	250 box	1000	20#	6.8	159
4 X 2	2	5	10	S5310	5163™	9600	SR6643	250 box	1000	20#	6.8	159
2⅝ X 1	3	10	30	S5330	5960™	9250	SR6600	250 box	1000	20#	6.8	159

Bulk Packaged in 250 box

Minimum order 1 carton of 1000 sheets

See Pages 10 & 11 to view label diagrams

8½x11 label products are manufactured with Spinnaker's **Advantedge Technology®**, a unique manufacturing process by which the outer 1/16" edge of the sheet is adhesive-free. This virtually eliminates the risk of adhesive ooze and contamination in digital equipment.



Rectangle Badge (**indicates 50# BW Uncoated / Acrylic Badge Adhesive with micro perfs)


label size W x H	D O W N		labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	ACROSS AC	DN			Avery®	LabelBlank®	MacTac®					
3⅝ X 2⅓	2	4	8	S4508B**	5395™	6300	-	100 box	1000	20#	6.8	159

Minimum order 1 box of 100 sheets


See Page 10 to view label diagram

An uncoated 96 Bright White sheet suitable for multiple print technologies, including laser, copier, ink jet, and offset. Manufactured with an aggressive permanent adhesive and 35# layflat liner. Successfully tested at RIT on the following printers: Canon ImageRUNNER® 3220, Xerox iGen3®/Xerox DocuColor® 6060, and the Kodak Nexpress® 2100.

Circles


label size W x H	 ACROSS DN		labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	Avery®	LabelBlank®			MacTac®							
3⅓ OD	2	3	6	S4106	5295™	6070	SC2541	100 box	1000	20#	6.8	159
2½ OD	3	4	12	S4012	5294™	6050	SC4212	100 box	1000	20#	6.8	159
2 OD	4	5	20	S4420	-	6040	-	100 box	1000	20#	6.8	159
1⅔ OD	4	6	24	S4024	5293™	6030	SC4224	100 box	1000	20#	6.8	159
1½ OD	5	6	30	S4030	-	6020	-	100 box	1000	20#	6.8	159

CD/DVD


label size W x H	 ACROSS DN		labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	Avery®	LabelBlank®			MacTac®							
4⅝ OD	1	2	2	S4602	-	-	-	100 box	1000	20#	6.8	159
4½ OD with spine	1	2	2	S4802	-	-	-	100 box	1000	20#	6.8	159
Spine .2188 x 4.687	2	2	4									

Above item are on an uncoated 96 Bright White sheet suitable for multiple print technologies, including laser, copier, ink jet, and offset. Manufactured with an aggressive permanent adhesive and 35# layflat liner. Successfully tested at RIT on the following printers: Canon ImageRUNNER® 3220, Xerox iGen3® XeroxDocuColor®6060, and the Kodak Nexpress®2100.

8½ x 11 label products are manufactured with Spinnaker's **Advantedge Technology®**, a unique manufacturing process by which the outer 1/16" edge of the sheet is adhesive-free. This virtually eliminates the risk of adhesive ooze and contamination in digital equipment.




CD/DVD Laser Gloss (not intended for inkjet)

label size W x H	 ACROSS DN		labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	Avery®	LabelBlank®			MacTac®							
4½ OD	1	2	2	S4902G	-	-	-	100 box	1000	20#	5.9	162
Spine .2188 x 4.687	2	2	4									


Minimum order 1 box of 100 sheets

See Page 12 to view label diagrams

Rectangle Fluorescents (Red, Green & Orange)

label size W x H			labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	AC	DN			Avery®	LabelBlank®	MacTac®					
4 X 2 Red	2	5	10	S4310FR	5163™	9600	SR6643	100 box	1000	23#	7.1	168
2 ⁵ / ₈ X 1 Red	3	10	30	S4330FR	5160™	9250	SR6600	100 box	1000	23#	7.1	168
4 X 2 Green	2	5	10	S4310FG	5163™	9600	SR6643	100 box	1000	23#	7.1	168
2 ⁵ / ₈ X 1 Green	3	10	30	S4330FG	5160™	9250	SR6600	100 box	1000	23#	7.1	168
4 X 2 Orange	2	5	10	S4310FO	5163™	9600	SR6643	100 box	1000	23#	7.1	168
2 ⁵ / ₈ X 1 Orange	3	10	30	S4330FO	5160™	9250	SR6600	100 box	1000	23#	7.1	168


Circle Fluorescents (Red, Green & Orange)

label size W x H			labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	AC	DN			Avery®	LabelBlank®	MacTac®					
1½ OD Red	5	6	30	S4030FR	-	6020	-	100 box	1000	23#	7.1	168
1½ OD Green	5	6	30	S4030FG	-	6020	-	100 box	1000	23#	7.1	168
1½ OD Orange	5	6	30	S4030FO	-	6020	-	100 box	1000	23#	7.1	168

Minimum order 1 box of 100 sheets

See Pages 10 - 12 to view label diagrams

8½x11 label products are manufactured with Spinnaker's **Advantedge Technology®**, a unique manufacturing process by which the outer 1/16" edge of the sheet is adhesive-free. This virtually eliminates the risk of adhesive ooze and contamination in digital equipment.



Rectangle Astrobrights® Solar Yellow™ & Lunar Blue™

label size W x H	ACROSS		labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	AC	DN			Avery®	LabelBlank®	MacTac®					
4 X 2 Yellow	2	5	10	S4310AY	5163™	9600	SR6643	100 box	1000	23#	7.9	168
2 ⁵ / ₈ X 1 Yellow	3	10	30	S4330AY	5160™	9250	SR6600	100 box	1000	23#	7.9	168
4 X 2 Blue	2	5	10	S4310AB	5163™	9600	SR6643	100 box	1000	23#	7.9	168
2 ⁵ / ₈ X 1 Blue	3	10	30	S4330AB	5160™	9250	SR6600	100 box	1000	23#	7.9	168


Circle Astrobrights® Solar Yellow™ & Lunar Blue™

label size W x H	ACROSS		labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	AC	DN			Avery®	LabelBlank®	MacTac®					
1½ OD Yellow	5	6	30	S4030AY	-	6020	-	100 box	1000	23#	7.9	168
1½ OD Blue	5	6	30	S4030AB	-	6020	-	100 box	1000	23#	7.9	168


Minimum order 1 box of 100 sheets

See Pages 10 - 12 to view label diagrams


8½x11 label products are manufactured with Spinnaker's **Advantedge Technology®**, a unique manufacturing process by which the outer 1/16" edge of the sheet is adhesive-free. This virtually eliminates the risk of adhesive ooze and contamination in digital equipment.




Rectangles/Squares

label size W x H			labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	AC	DN			Avery®	LabelBlank®	MacTac®					
3 1/3 X 4	3	4	12	S3712	-	NH-333-400	-	100 wrap	500	24	6	152
1 X 2 5/8	10	6	60	S3760	-	NH-100-262	-	100 wrap	500	24	6	152

CD/DVD Laser Gloss

label size W x H			labels per sheet	Spinnaker stock #	Template cross reference only			inner carton packaging	sheets per carton	Carton Weight	Mils	GSM
	AC	DN			Avery®	LabelBlank®	MacTac®					
4 1/2 OD	2	3	6	S3706G	-	NH-CD450-162	-	100 wrap	500	24	5.9	162


Minimum order 1 carton of 500 sheets



Premium facestocks are designed for digital imaging to give your customers vibrant colors and striking graphics. This no ooze adhesive and layflat liner provide excellent runability through today's most popular digital equipment.


Rectangle/Square Layouts - Sheet Size 8½ x 11

S4401




8½" x 11"
1-up

S4302




4¼" x 11"
2-up

S4402




8½" x 5½"
2-up

S4304




4" x 5"
4-up

S4504




3½" x 5"
4-up

S4704




3" x 5"
4-up

S4404



4¼" x 5½"
4-up

S4306




4" x 3½"
6-up

S4506




7" x 1⅞"
6-up

S4706




4¼" x 3½"
6-up

S4508B**




3¾" x 2⅓"
8-up

S4308




4" x 2½"
8-up

S4408




4¼" x 2¾"
8-up

S4309




2½" x 3½"
9-up

S4310



4" x 2"
10-up


S4410



4¼" x 2"
10-up


Rectangle/Square Layouts - Sheet Size 8½ x 11

S4312




4" x 1½"
12-up

S4512




2" x 3"
12-up

S4712




2½" x 2½"
12-up

S4314




4" x 1⅓"
14-up

S4320




4" x 1"
20-up

S4520




2" x 2"
20-up

S4421




2.83" x 1½"
21-up

S4324




2⅝" x 1¼"
24-up

S4530




3.4375" x ⅔"
30-up

S4330




2⅝" x 1"
30-up

S4433




2.83" x 1"
33-up

S4335




1" x 2"
35-up

S4336




1¼" x 1⅝"
36-up

S4350



1½" x 1"
50-up


S4380



1¾" x ½"
80-up


Circle/CD Layouts - Sheet Size 8½ x 11

S4106




**3⅓" OD
6-up**

S4012




**2½" OD
12-up**

S4420




**2" OD
20-up**

S4024




**1⅔" OD
24-up**

S4030




**1½" OD
30-up**

S4602



**4⅝" OD
2-up**

S4802/S4902G



**4½" OD 2-up Spine
.2188"x4.687" 4-up**

MULTI-PURPOSE DIE CUT LABELS

Templates available at www.spinps.com

CUSTOM DIE CUT CAPABILITIES FOR 8½ X 11 SHEET SIZE

(CONTACT CUSTOMER SERVICE FOR INQUIRIES ON ALTERNATIVE SHEET SIZES)

Alternative Face Stocks

Laser Gloss - A high gloss laser sheet

Fluorescents - Red, Green, Orange, Chartreuse and Pink

Astrobrights® - Solar Yellow, Lunar Blue, Orbit Orange, Re-Entry Red, Gamma Green, Pulsar Pink, Cosmic Orange, Celestial Blue, Galaxy Gold, Planetary Purple, Rocket Red and Terra Green

Pastels - Blue, Buff, Green, Pink and Canary

Yellow Litho

Natural Cream

Brown Kraft

100% PCW Uncoated Sheet

60# Ultra Matte Litho

Custom Order Minimums

Quantity: 5,000 sheets

Custom Lead-times

3 working days for standard construction 96 Bright White face with existing in-house die

8 working days for standard construction 96 Bright White face requiring a new custom die

10 working days for a custom facestock listed above

Custom Packaging

Our custom orders are bulk carton packed: 250 sheets per bag and 1,000 sheets per carton

Perforations

Special face and/or liner perforations can be produced

Spinnaker Coating can easily create custom die patterns. Please contact Customer Service for more information.

Advantedge Technology is a registered trademark of Spinnaker Coating, LLC. Astrobrights and the Astrobrights colors are trademarks of Wausau Paper Mills, LLC. Avery and the Avery template references are trademarks of Avery Dennison Corporation. Labelblank is a registered trademark of Labelblank Corporation. MACTac is a registered trademark of Morgan Adhesives Company. Printer models are trademarks of their respective owners.